

TECHNICAL SPECIFICATION





Shelves adjustment to the pin hole. / Étagères réglables le long de la crémaillère.



Shelves with high quality metalwork. / Étagères avec visserie métallique de haute qualité.



Archiving system with folders under Metal shelves. / Système d'archive avec dossiers suspendus en dessous des étagères métalliques.

CABINET STRUCTURE

Material

19 mm and 10 mm thick chipboard bonded with synthetic resins, with a medium-density of 650 kg/m³.

Grupo Alvic complies with PEFC regulations to protect the environment so that the woods used proceed from sustainable exploitations.

Melamine coating with ABS edging applied with PUR glue (solid polyurethane adhesive), innovation applied in the bonding process that provide high resistance properties to heat and optimum performance to moisture and solvents.

The application of the PUR glue at the gluing process is carried out via gun that allows the glue to be applied to solely the surface edging without traces of glue affecting the work surface resulting in the cabinet finishings.

The format of the PUR glue's translucent color makes it virtually invisible and its composition is, in addition, of greater adherence than normal glue. The results are high quality finishings compared to the traditional gluing system.

The top, bottom and sides of the cabinet are manufactured from 19 mm thick chipboard with melamine coating.

The back panel is from same material, 10 mm thick with melamine coating.

Bilaminated shelves Manufactured with 25 mm and 19 mm thick melamine.

Possibility of easy height regulation of the shelves every 32mm.

Fix shelves: With high quality METAL FITTING: the shelf clamps when pressured, insert into the pins previously attached to the pin holes.

Mobile shelves: with metallic supports.

Metal shelf: Possibility of shelves made from 0.8 mm thick sheet of steel with double bottom rail for the placement of hanging folders. Aluminium RAL 9006 and White RAL 9003.

350 mm width to hang DIN A4 folders.

Space management

Optimised storage space for folders and DIN A4 formats.

Hanging folders OPTIONAL.

TENDENCIES

ASSEMBLY SYSTEM

Through fittings with eccentric metal hinges the entire framework of the union fittings is metal, with union hinges inserted into the melamine metal components facilitating its assembly and disassembly in the case of household removals or furniture rearranging.

The back comes assembled to the structure bounded in the pre-mechanised grooves in the lateral sides.

LEVELLING

It has four height levellers accessible from the interior.
Adjustment maximum of + 20 mm. Anti-humidity feet.
Perfectly aligned cabinets.

CABINET DOORS

Hinges

The base is zamac and the moving parts from high resistance tempered steel.

- 110 ° opening.
- With quick assembly system.
- It allows horizontal and vertical adjustment (three-dimensional).
- SOFT CLOSING system, brake system for the door closure is amortized.

Locks

Locks for cabinets H105, H145 and H197 cm:

- Slimline lock device.
- Two closing points.

For the cabinets of H72 cm:

- Zamac u-bend with steel tab.
- The keys are supplied with foldable plastic casing.
- Single key. Maximum security. Possibility of master key.

Handle

For doors with bilaminated and finishing:

Aluminium handles: aluminium color finishing and placed vertically (ergonomic) on the main cabinet door.

For the Luxe finishings:

Aluminium handles, chrome finishing and placed vertically (ergonomic) on the main cabinet door.

Finishings

Doors available in:

- BILAMINATE FINISHING.
- LUXE FINISHING.
- GLASS W/ ALUMINUM FRAMEWORK FINISHING:

Possibility of glass doors with aluminium frame.

The 5 mm glass is translucent.



Slimline lock device /
Tringle extra plat




Adjustable hinge in horizontal and vertical. Soft closing system. / *Charnière réglable en horizontal et en Vertical. Système soft closing*



Possibility of master key. /
Possibilité de passe-partout.




Inside access for levellers regulation. / *Accès intérieur pour réglage des vérins.*



Levellers with height regulation anti-humidity. / *Vérins avec réglage en hauteur et anti-humidité.*

TENDENCIES

MELAMINE FINISHES



LUXE FINISHES



TENDENCIES

PICTURES



TENDENCIES







